

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

RECEIVED



FEB 19 1945



U. S. Department of Agriculture

SEEDS

for the

NURSERYMAN

AND

FORESTER

Seeds of

- Part I Fruit Stock—Nut Trees
- Part II Conifers
- Part III Deciduous Trees and Shrubs
- Part IV Seeds of Subtropical and Tropical
Plants
- Part V Hardy Herbaceous Perennials

1945

F. W. SCHUMACHER

HORTICULTURIST

JAMAICA PLAIN 30, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

It is not possible to have all items listed available at all times. A number of perishable seeds cannot be stored successfully and must be ordered in season.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances should include a fair amount for packing and postage. Bags are being charged at cost price.

NOMENCLATURE—The old method is being retained until the trade, as a body, accepts the new nomenclature as of second edition of "Standardized Plant Names," available at \$10.50 postpaid. It is a noble book and should be owned by every up-to-date gardener.

CAUTION—Seeds of horticultural varieties and hybrids, with few exceptions, cannot be expected to come true to name. They are offered here for the convenience of competent plantsmen, for research and breeding work only.

PACKETS—We shall be glad to supply packets of all items listed, as far as possible, and will charge 15¢ per packet unless priced otherwise.

PAYMENT—5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

AMERICAN SEEDS WANTED

We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

- - - - -

P. O. Box 131

JAMAICA PLAIN 30, MASS.

I

SEEDS OF FRUIT STOCKS, NUT TREES, ECONOMIC PLANTS

(Quantity prices upon request)

	¼ lb.	1 lb.	10 lbs.
APPLE, Baccata.			
Dry pomes.....	.25	.85	
Common, domestic seed for stock.....	.35	1.20	10.00
APRICOT65	
CHERRY, Mahaleb70	2.50	
Mazzard, domestic.....	.35	1.25	
Sweet (avium).....		.50	
PAWPAW35	1.25	
PEAR (communis) domestic85	3.00	
PERSIMMON			
Native.....	.25	.85	
Kaki Persimmon, large fruited Chinese P.,45, oz.	1.10	3.75	
PLUM, Americana45	1.50	
Beach Plum (maritima).....	.50	1.65	
Chickasaw Plum (angustifolia).....	.45	1.50	
Damson.....	.45	1.50	
Japanese (salicina).....		.75	
Myroblan (cerasifera).....	.45	1.50	
FILBERT, American30	.90	
European (avellana).....	.25	.50	
Filbert Hybrids, large fruited garden varieties.....	.35	1.00	
Purple-Leaf Filbert.....	.55	2.00	
HICKORY, Bitternut (cordiformis)25	
Mockernut (alba).....		.25	
Pignut (glabra).....		.25	
Shagbark (ovata).....		.25	
Shagbark (ovate) Northern.....		.35	
Shellbark (Kingnut) laciniosa.....		.20	
Shellbark, large fruited.....		.35	
PECAN, Large fruited, Paper Shell65	
Naturals, hardy Northern.....		.55	
WALNUT, Black Walnut18	
Black Walnut, New England or Prairie States collected.....		.30	
Black Walnut, from named varieties selected for size of nuts or ease of cracking; Ohio, Stabler, Ten Eyck, Thomas, separately or mixed.....		.35	
Butternut.....		.20	
Butternuts, New England collected.....		.25	
California Black Walnut.....		.35	
English (Persian).....		.55	
Japanese (sieboldiana).....	.35	1.00	

II

CONIFERS

	oz.	¼ lb.	lb.
ABIES balsames35	.95	3.25
grandis.....	.40	1.00	3.50
lasiocarpa.....	.50	1.25	4.50
BIOTA, see Thuja			
CHAMAECYPARIS lawsoniana40	1.00	3.50
CUNNINGHAMA lanceolata (sinensis)55	1.25	4.50

	oz.	¼ lb.	lb.
CUPRESSUS arizonica30	.80	2.75
forbesi, a rare Californian species, for its disease resistance preferred to Cupressus macrocarpa.....	.25 ¼ oz.	.75	2.50
goeniana.....	.55	1.25	4.50
lusitanica.....	.65	1.65	6.00
macnabiana.....	.35	.85	3.00
macrocarpa.....	.45	1.15	4.00
sempervirens pyramidalis (stricta).....	.50	1.25	4.50
GINKGO biloba15	.25	.80
JUNIPERUS communis15	.35	1.25
communis depressa (prostrata).....	.20	.45	1.50
communis montana (siberica) seed from Montana.....	.20	.50	1.75
horizontalis, a fine hardy Juniper from Montana.....	.25	.60	2.00
horizontalis douglasi.....	.25	.65	2.25
rigida, clean.....	.40	1.50	
sabina tamariscifolia, clean.....	.40	1.50	
scopulorum, Montana-North Dakota.....	.15	.30	.95
clean.....	.40	1.00	3.50
scopulorum, columnar type, a natural form found in isolated stands in Montana.....	.30	.65	2.25
scopulorum, natural globe type.....	.20	.45	1.50
scopulorum, seed from selected blue trees.....	.25	.50	1.75
virginiana.....	.20	.45	1.50
seed from Tennessee or Kentucky.....	.15	.30	1.00
seed from Nebraska, Platte River type.....	.15	.35	1.25
Platte River type, clean.....	.40	1.00	3.50
PICEA canadensis (alba-glauc)85	2.20	8.00
canadensis albertiana.....	.70	1.95	7.00
engelmanni.....	.40	1.00	3.50
engelmanni glauca.....	.50	1.30	4.75
pungens.....	.45	1.25	4.00
pungens glauca, from blue trees.....	.70	1.85	6.50
PINUS albicaulis30	.75	2.50
aristata.....	.35	.90	3.00
banksiana.....	.65	1.70	6.00
caribaea.....	.45	1.10	4.00
contorta.....	.55	1.40	5.00
contorta latifolia, see murrayana.....			
coulteri.....	.40	.95	3.50
densiflora.....	.65	1.75	6.00
echinata.....	.65	1.75	6.00
edulis.....	.25	.60	2.00
flexilis.....	.35	.85	3.00
jeffreyi.....	.35	.85	3.00
lambertiana.....	.40	.85	3.50
monophylla.....	.40	.95	3.50
monticola.....	.50	1.50	5.00
murrayana (latifolia).....	.55	1.40	5.00
palustris.....	.25	.60	2.00
ponderosa, Giant Pacific Coast race—Timber strain.....	.30	.65	2.35
ponderosa (scopulorum), Rocky Mountain race.....	.20	.45	1.50
resinosa.....	1.30	3.40	12.50
rigida, New England.....	.20	.45	1.50
sabiniana.....	.25	.50	1.75
strobilus.....	.35	.85	3.00
taeda.....	.35	.75	2.75
PSEUDOTSUGA douglasi, green coast strain80	2.05	7.50
douglasi caesia.....	.55	1.50	5.00
douglasi glauca.....	.55	1.50	5.00
douglasi glauca, intensely blue dwarf strain.....	.65	1.65	6.00

	oz.	¼ lb.	lb.
SCIADOPITYS verticillata.....	.75		
SEQUOIA gigantea.....	1.10	2.80	10.00
sempervirens.....	.55	1.40	5.00
TAXODIUM distichum.....	.20	.40	1.50
TAXUS canadensis.....30, ¼ oz.	1.00		
cuspidata.....	.80	2.50	
media, from various Hybrid forms.....	.85		
media hicksi.....	.85		
THUJA occidentalis.....	.35	.90	3.00
occidentalis pyramidalis, from garden specimens.....30, ¼ oz.	1.00		
orientalis.....	.30	.70	2.50
orientalis, New England seed.....	.55		
orientalis aurea.....	.30	.75	2.75
orientalis conspicua.....	.35	.75	2.75
plicata.....	.70	1.70	6.50
TSUGA canadensis.....	.85	2.25	8.00
caroliniana.....	.65	1.75	6.00
heterophylla.....	.75	1.95	7.00

III

DECIDUOUS TREES AND SHRUBS

	pkt.	1/16 oz.	¼ oz.	oz.	¼ lb.	lb.
ACER campestre.....				.15	.40	1.50
dasycarpum (New England seed, large quantities in crop years). Order in Spring.....				.15	.25	.65
ginnala.....				.25	.60	2.00
macrophyllum.....				.15	.35	1.25
negundo.....				.15	.20	.65
negundo californicum.....				.20	.50	
pennsylvanicum.....				.35	.85	3.00
platanoides.....					.25	.75
pseudoplatanus.....				.15	.40	1.25
rubrum, New England seed, ripe in June.....				.25	.60	2.00
saccharum.....				.15	.35	1.25
AILANTHUS glandulosa.....				.15	.25	.75
ALBIZZIA julibrissin.....				.20	.40	1.50
julibrissin, rose flowered.....	.20					
ALNUS incana.....				.30	.70	2.50
japonica.....			.35	1.00		
rubra (oregana).....				.65	2.00	
rugosa.....				.20	.40	1.50
AMELANCHIER alnifolia.....				.20	.50	1.75
canadensis.....				.35	.85	3.00
grandiflora (canadensis x laevis) natural hybrid.....				.35	.85	3.00
laevis, Northern.....				.35	.85	3.00
oblongifolia (botryapium), true.....				.45	1.15	3.75
stolonifera.....				.35	.85	3.00
stolonifera, dwarf, almost prostrate form.....				.45	1.00	3.50
AMORPHA fruticosa.....				.20	.45	1.75
AMPELOPSIS aconitifolia.....				.20	.60	2.00
brevipedunculata, see heterophylla.....						
heterophylla (amurensis).....				.40	1.25	
heterophylla elegans, variegated.....				.40	1.25	
heterophylla maximowiczii.....				.35		
quinquefolia, dried berries.....				.25	.60	2.10
tricuspidata (veitchi).....				.45	1.10	4.00
tricuspidata, true large-leaf type (A. Veitchi robusta)...	.25			.75		

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
ANDROMEDA glaucophylla.....	.50					
ARALIA spinosa.....				.30	.75	2.50
ARBUTUS menziesii.....				.20	.50	1.75
unedo, clean.....			.20	.50		
ARCTOSTAPHYLOS uva ursi, New England seed.....				.30	.50	1.50
ARISTOLOCHIA tomentosa.....				.25	.60	2.00
ARONIA arbutifolia.....				.15	.30	1.00
arbutifolia brilliantissima, with shiny bright red fruit..				.25	.75	
atropurpurea.....				.15	.35	1.25
melanocarpa elata, Glossy Chokeberry shrub to 9 ft. high				.30	.70	2.50
ASIMINA trioba.....				.25	.60	2.00
AZALEA arborescens.....	.25	.60				
atlantica.....	.25	.60				
calendulacea.....		.20	.50	1.90		
calendulacea, select grade, New England seed.....	.20	.35	1.00			
kaempferi.....	.30	.85	3.00			
ledifolia (mucronata).....	.35	1.00				
ledifolia amethystina (magnifica).....	.35	1.00				
mollis.....		.20	.60	2.25		
mollis, mollis and japonica forms from specialist's stock..		.35	1.00	3.00		
mollis, white and cream color.....	1.00					
mucronulata.....	.50	2.00				
nudiflora.....	.30	.50				
obtusa kiusiana.....	.50					
pennsylvanica.....	.50					
poukhanensis.....	.35	.85	3.00			
poukhanensis, from selected compact specimens.....	.50					
rosea.....	.20	.60	2.00			
schlippenbachii.....		.25	.60	2.00		
schlippenbachii, Korean strain.....		.30	.85	3.00		
vaseyi.....		.20	.50	1.75		
viscosa.....		.20	.50			
AZALEA Hybrids.....						
altaclarensis.....	.25	.75	2.50			
Ghent Hybrids.....	.50					
Kaempferi Hybrids:						
kaempferi x malvatica.....	.50					
kaempferi x maxwelli.....	.50					
Named varieties:						
Atalanta, soft lilac.....	.50					
Carmen, rose color.....	.50					
Cleopatra, old rose.....	.50					
Fedora, salmon rose.....	.50					
Othello, brick red.....	.50					
kaempferi x poukhanensis.....	.50					
obtusa arnoldiana (amoena x kaempferi).....	.50					
obtusa arnoldiana, Named Hybrids:						
Briarcliff, deep pink.....	.50					
Cardinalis, dark cardinal red.....	.50					
Early Dawn, soft radiant pink.....	.50					
Mello-glow, cerise pink.....	.50					
Mossiana, orchid-lavender.....	.50					
BENZOIN aestivale.....				.15	.40	1.50
BERBERIS.....						
koreana.....		.15	.55	1.25	4.50	
thunbergi, clean seed.....			.35	.85	3.00	
thunbergi atropurpurea, dried berries.....			.55	1.70	5.00	
thunbergi erecta (pluriflora erecta).....	.20	.35	1.00			
thunbergi maximowiczii.....		.25	.85			

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
BET ULA lenta.....				.35	.65	2.25
lutea.....				.35	.65	2.25
papyrifera.....				.30	.75	2.50
papyrifera minor, Dwarf Paper Birch.....				.35	.90	3.00
populifolia.....				.35	.65	2.25
BIGNONIA radicans.....				.20	.50	1.75
BUDDLEIA japonica.....	.25					
CALYCANTHUS floridus.....				.15	.30	1.10
occidentalis.....				.30	.75	2.25
praecox, see Meratia.						
CAMELLIA japonica.....				.35	.90	3.00
CARAGANA arborescens.....				.15	.25	.75
boisi.....	.25		.45			
CARPINUS betulus.....				.25	.60	2.00
caroliniana.....				.20	.45	1.50
CARYA, see Hicoria.						
CASTANEA crenata.....					.30	1.20
dentata x sativa.....					.45	1.50
sativa.....					.30	.85
CATALPA bignonioides.....				.15	.30	1.00
kaempferi (ovata).....				.20	1.00	
speciosa.....				.15	.35	1.25
CEANOTHUS americana.....				.25	.50	2.00
pallidus roseus.....	.25					
CELASTRUS orbiculatus (articulatus) dried berries.....				.20	.45	1.50
clean.....				.35	.90	3.00
scandens, dried berries.....				.20	.45	1.50
clean.....				.35	.90	3.00
CELTIS occidentalis.....				.15	.30	1.00
CEPHALANTHUS occidentalis.....				.15	.35	1.00
CERCIS canadensis, Southern seed.....				.20	.50	1.75
Northern seed.....				.25	.60	2.00
chinensis.....				.45	1.50	
occidentalis.....				.30	.70	2.50
siliquastrum.....				.35	1.00	
CHIONANTHUS virginicus, clean.....				.15	.35	1.25
CITRUS trifoliata.....				.20	.45	1.50
CLADRASTIS (Virgilia) lutea.....				.30	.60	2.10
CLEMATIS coccinea (texensis).....	.20	.50				
heracleifolia.....				.35		
integrifolia.....		.25	.70	2.50		
macropetala.....	.30	.45	1.50			
tangutica.....			.25	.75		
virginiana.....				.35	.35	3.00
large flowered garden hybrids.....	.25	.75				
CLETHRA alnifolia.....				.20	.45	1.50
tomentosa.....	.25					
COCCULUS carolinus.....				.25	.55	1.75
COLUTEA arborescens.....				.15	.40	1.25
melanocalyx.....	.20	.50				

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
CORNUS alba sibirica30	.65	2.25
alternifolia.....				.25	.55	2.00
amomum.....				.15	.25	.75
canadensis.....				.25	.65	2.25
florida, dried berries.....				.15	.30	.85
clean.....				.20	.45	1.50
mas, clean.....				.25	.60	2.00
nuttalli.....				.20	.40	1.35
paniculata, clean.....				.25	.60	2.00
sanguinea.....				.15	.30	1.00
stolonifera.....				.15	.30	1.00
stolonifera lutea.....				.30	.75	2.50
CORYLUS americana30	.90
avellana.....					.20	.50
avellana atropurpurea.....				.25	.55	2.00
COTONEASTER acutifolia, dried berries20	.45	1.50
clean.....				.40	.90	3.50
acutifolia villosula.....	.20					
adpressa.....	.20		.35	1.00		
adpressa praecox.....	.20		.35	1.00		
ambigua.....	.20		.35	1.00		
apiculata.....			.25	.75		
bullata, clean.....			.20	.50		
buxifolia vellea.....	.20		.35	1.00		
dielsiana (applanata).....			.40	.95	3.25	
dielsiana major, preferable to type.....			.45	1.05	3.75	
divaricata, clean.....			.35	.80	3.00	
foveolata.....			.20	.35	1.00	
francheti.....			.20	.55	1.25	4.50
frigida.....			.25	.75		
glabrata.....	.20		.35	1.00		
harroviana.....			.20	.55		
hebephylla.....	.20		.35	1.00		
henryana, clean.....			.20	.50		
horizontalis, clean.....			.25	.65	1.85	
horizontalis perpusilla.....	.20		.35	1.00		
integerrima.....	.20		.45			
lactea (parneyi).....	.15		.20	.45	1.30	4.50
lucida.....			.20	.65		
microphylla, clean.....			.20	.50		
microphylla cochleata.....	.25		.45			
moupinensis, clean.....			.35	.85	3.00	
multiflora.....			.20	.60	1.50	
multiflora calocarpa.....			.20	.60	1.50	
nitens.....	.15		.25	.65		
obscura.....	.20		.35	1.00		
pannosa.....			.15	.40		
parneyi, see lactea.						
praecox, see adpressa.						
racemiflora soongarica.....			.20	.50	1.75	
racemiflora veitchi.....			.20	.50	1.75	
rotundifolia (buxifolia).....			.20	.50	1.75	
salicifolia.....			.25	.50	1.25	4.50
salicifolia floccosa.....		.15	.40			
simonsi.....			.20	.45	1.50	
tenuipes.....	.20		.40			
tomentosa.....	.20		.35	1.00		
zabeli.....	.15		.20	.60	1.65	5.00
zabeli miniata (gracilis).....	.25		.65			

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
CRATAEGUS , fresh berries for fall planting are available at special prices.						
<i>aprica</i>25	.75	
<i>arnoldiana</i> , clean25	.65	2.25
<i>coccinea</i> , clean25	.60	2.00
<i>coccinoides</i> , clean25	.65	2.25
<i>cordata</i> (<i>phaenopyrum</i>), dried berries15	.40	1.20
clean25	.70	2.45
<i>crus galli</i> , dried berries25	.75
clean25	.60	2.00
<i>douglasi</i>20	.45	1.50
<i>macracantha</i>15	.45	1.50
<i>mollis</i> , clean20	.50	1.75
<i>nitida</i> , dried berries30	1.00
clean30	.70	2.50
<i>oxyacantha</i> , English Hawthorn, two stone variety, clean30	.70	2.50
<i>oxyacantha monogyna</i> , English Hawthorn, one stone variety, clean30	.70	2.50
<i>persistens</i>35	1.25	
<i>pinnatifida</i> , clean25	.75	
<i>prunifolia</i> , clean35	.85	3.00
<i>punctata</i> , clean25	.60	2.00
<i>punctata aurea</i>15	.45	1.50
<i>submollis</i> , clean15	.75	2.50
<i>succulenta</i>20	.45	1.50
<i>tomentosa</i>15	.40	1.25
CYDONIA japonica35	.95	3.00
<i>japonica</i> , seed from Garden specimens of the tall flowering Quince of Colonial Gardens, here collected20	.50	
<i>japonica pygmaea</i> , Dwarf Quince40	1.00	3.50
<i>maulei</i> , Lesser Quince40	1.00	3.50
CYTISUS albus20					
<i>albus pallidus</i>	$\frac{1}{2}$ oz., .45	.25				
<i>alpinus</i> , see <i>Laburnum</i> .						
<i>austriacus</i>15	.45	1.50		
<i>austriacus heuffeli</i>25	.60	2.00		
<i>battandieri</i>30					
<i>capitatus</i> , see <i>supinus</i> .						
<i>elongatus</i>25		.75			
<i>glabrescens</i>25		.50	1.50		
<i>griesebachii</i> (dwarf <i>supinus</i>)25	.35				
<i>monspessulanus</i> (<i>candicans</i>)20		.50	1.35		
<i>multiflorus</i>35	1.25		
<i>nigricans</i>20	.55	2.00		
<i>praecox</i>25					
<i>praecox alba</i>25					
<i>purpureus</i>25		.85			
<i>purpureus erectus</i>	10 seeds, .25					
<i>ratisbonensis</i>35					
<i>scoparius</i>30	.70	2.50	
<i>scoparius strictus</i>20					
<i>scoparius sulphureus</i>15	.35	.70	2.50
<i>scoparius andreanus</i> Hybrids, all shades from yellow to red25		.65			
<i>sessilifolius</i>20	.50		
<i>supinus</i> (<i>capitatus</i>)25	.75	1.75	6.50
DAPHNE mezereum (<i>rubrum</i>) from a garden strain with deep red flowers20		.25	.75		
<i>mezereum album</i> , white25 seeds, .25					
	100 seeds, .95					

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
DENDROMECON rigidum, Bush Poppy.....		.20	.35	1.35		
DIOSPYROS kaki.....				.45	1.10	3.75
virginiana.....					.25	.85
virginiana, Northern.....				.20	.45	1.50
DORYCNIUM hirsutum.....	.25	.40				
intermedium.....	.25	.40				
suffruticosum.....	.25	.40				
ELEAGNUS angustifolia.....				.10	.20	.55
clean.....				.15	.30	.95
argentea, clean.....				.20	.45	1.50
longipes.....				.45	1.50	
umbellata.....				.20	.50	1.75
ELSHOLTZIA stauntoni, clean.....	.15	.45	1.50			
EPIGAEA REPENS, Mayflower or Trailing Arbutus, New England seed]......	.25	1.00				
ERIOBOTRYA japonica.....				.25	.45	1.50
EUCNYMOUS alatus.....				.35	.85	3.00
americanus]......				.20	.45	1.50
atropurpureus.....				.20	.45	1.50
bungeanus.....				.20	.45	1.50
europaeus.....				.20	.45	1.50
europaeus intermedia (fructu coccineo or macrophylla) with bright red fruit.....			.20	.50		
latifolius.....			.25	.70	2.50	
oxyphylla.....			.35	1.00		
planipes.....	.25					
radicans.....			.30	.80	2.75	
yedoensis.....			.25	.60	2.00	
EXOCHORDA giraldi wilsoni.....			.25	.75	2.25	
grandiflora.....				.20	.45	1.50
korolkowi (alberti).....			.35			
FACUS americana.....				.20	.45	1.50
FOTHERCILLA major.....	.35		.75			
monticola.....	.35		.75	2.50		
FRANKLINIA (Gordonia) alatamaha 10 seeds, .65; 100 seeds, 5.50						
FRAXINUS americana.....					.15	.45
lanceolata.....					.15	.45
nigra (sambucifolia).....				.15	.30	1.00
quadrangulata.....				.20	.45	1.50
velutina.....				.35	.90	3.00
GAULTHERIA procumbens.....			.30	1.00		
GAYLUSSACIA baccata.....			.20	.35	.80	2.85
GENISTA aetnensis.....			.35	1.00		
anglica.....	.30					
germanica, to 2 feet.....	.20		.45			
tinctoria.....	.20		.25	.75		
GINKGO biloba.....				.15	.25	.80
GLEDITSIA japonica (horrida).....			.25	.60	2.00	
sinensis.....			.20	.50	1.75	
triacanthos.....				.15	.40	
triacanthos inermis.....				.15	.50	
GYMNOCLADUS dioca.....				.15	.50	
HALESIA diptera.....			.30	.75	2.25	
monticola.....			.15	.30	1.00	
tetraptera.....			.15	.30	1.00	

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
HAMAMELIS japonica15	.45		
vernalis tomentella25	.75		
virginiana30	.70	2.50
HICORIA (Carya), quantities priced on request.						
alba (tomentosa).....						.20
cordiformis (amara).....						.25
glabra (porcina).....						.25
laciniosa20
ovata (alba).....						.25
ovata , Northern seed.....						.35
pecan (olivaeformis), hardy Northern.....						.55
HOVENIA dulcis20	.50		
HYPERICUM aureum (frondosum).....			.45	1.50		
densiflorum45	1.50		
kalmianum45	1.50		
prolificum45	1.50		
ILEX aquifolium , French strain, clean.....				.30	.65	2.50
cornuta30	.65	2.50
glabra15	.30	1.00
monticola35	.75	2.85
opaca15	.30	1.00
clean.....				.25	.65	2.00
opaca , from its Northern limit around Boston.....				.25	.60	2.00
serrata (sieboldi).....	.25		.75			
verticillata , New England seed.....			.15	.25	.75	
New England seed, clean.....			.25	.55	2.00	
vomitoria15	.45	1.25	
INDIGOFERA dosua20		.50			
JUGLANS , quantities priced on request.						
californica35
californica hindsii30
cinerea20
cinerea , New England seed.....						.30
nigra20
regia60
sieboldiana25	.80
KALMIA angustifolia , clean.....		.35	1.00	3.00		
latifolia , clean.....			.45	1.50		
latifolia , New England seed, clean.....		.20	.60	2.00		
KERRIA japonica20			.60	2.00	
KOELREUTERIA paniculata25	.60	2.00
KOLKWITZIA amabilis , clean.....				.65	1.70	6.00
LABURNUM alpinum60	1.40	5.00
vossi35					
vulgare60	1.40	5.00
watereri35					
LAUROCERASUS caroliniana35	1.00
lusitanicus20	.60	2.00
LESPEDEZA bicolor rosea60	2.00	
buergeri60	2.00	
formosa albiflora60	2.00	
LEUCOTHOE catesbaei20	.65		
catesbaei , New England seed.....	.20	.35	1.00			
LIGUSTRUM amurense15	.20	.75
ibota15	.30	.95
sinense25	.60	2.00
vulgare15	.30	1.00

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
LIQUIDAMBAR styraciflua.....				.40	.95	3.50
LIRIODENDRON tulipifera.....				.15	.25	.80
LONICERA alpigena.....			.20	.60		
bella rosea.....			.20	.60		
coerulea edulis.....			.35	1.00		
coerulea glaucescens.....			.35	1.00		
hirsuta, native Honeysuckle with blue edible berries.....				.35	1.00	3.50
japonica halliana, clean.....				.60	1.40	5.00
korolkowi floribunda.....	.20			.35	1.00	
maacki.....				.35	1.25	
maacki podocarpa.....	.20			.60	2.00	
morrowi.....				.35	1.00	
ruprechtiana.....	.20			.60	2.00	
tatarica.....				.25	.65	2.25
xylosteum, clean.....				.35	1.00	
LYCIUM chinense.....			.25	.65	2.00	
MAACKIA amurensis.....			.20	.50		
chinensis.....			.20	.50		
MACLURA pomifera.....				.15	.35	1.25
MAGNOLIA acuminata.....				.15	.45	1.50
fraseri.....				.30	.70	2.50
glaucia (virginiana).....				.30	.75	2.75
grandiflora.....				.30	.70	2.50
soulangeana, clean.....				.60	1.55	5.50
tripetala.....				.25	.65	2.00
MAHONIA aquifolium.....				.35	.85	3.00
repens.....				.30	.70	2.50
MALUS baccata (siberica) dry pomes.....				.15	.25	.85
baccata mandshurica, dry pomes.....				.15	.35	1.25
coronaria, clean.....				.55	1.40	5.00
robusta (baccata Hybrid) Cherry Crab.....				.20	.45	1.50
sargentii.....				.25	.60	2.00
theifera, dry pomes.....				.25	.60	2.00
MERATIA praecox grandiflora.....			.25	.75	2.00	
MYRICA carolinensis.....				.15	.35	1.25
cerifera.....				.25	.60	2.00
NANDINA domestica.....				.25	.60	2.00
NYSSA aquatica.....				.15	.35	1.00
sylvatica.....				.15	.40	1.25
OSTRYA virginiana.....				.25	.60	2.00
PAEONIA suffruticosa (arborea or moutan).....			.30	1.00		
PHELLODENDRON amurense.....				.20	.40	1.50
PHILADELPHUS coronarius.....			.20	.60	1.40	5.00
PHOTINIA serrulata.....				.25	.65	2.25
villosa, clean.....				.55	1.40	5.00
PIERIS floribunde, New England seed, clean.....	.20		.35	1.00		
japonica, clean.....	.25		.60	2.25		
PLATANUS occidentalis.....					.25	.75
orientalis.....					.25	.75
racemosa.....				.35	.85	3.00
POTENTILLA fruticosa.....		.20	.35	1.00		
fruticosa mandshurica, white flowers.....	.20	.35				
PRINSEPIA chinensis.....			.20	.50		

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
PRUNUS americana , clean.....				.20	.40	1.50
angustifolia, Chickasaw Plum.....				.25	.60	2.00
armeniaca ansu.....				.50		
avium, clean.....				.15	.35	1.25
caroliniana, see Laurocerasus.						
cerasifera, clean.....				.20	.45	1.50
demissa melanocarpa (virginiana melanocarpa), clean				.15	.35	1.25
hortulana, clean.....				.30	.70	2.50
insititia, clean.....				.30	.70	2.50
japonica, clean.....				.35	1.00	
lanata, clean.....				.40	.90	
lannesiana, clean.....	.20			.50		
mahaleb, clean.....				.30	.70	2.50
maritime, New England seed.....				.20	.45	1.65
nigra, clean.....				.25	.60	2.00
pennsylvanica.....				.20	.55	1.75
reverchoni, clean.....				.30	.70	2.50
serotina.....					.25	.80
clean.....				.15	.35	1.25
serrulata, clean.....	.20			.50		
suhhirtella, clean.....	.20			.50	1.50	
subhirtella pendula, clean.....	.20			.50		
tomentosa, clean.....				.50	1.50	
virginiana, clean.....				.15	.40	1.25
yedoensis, clean.....	.20			.50	1.50	
PYRACANTHA coccinea20	.40	1.50
coccinea lalandi.....				.25	.60	2.00
formosana splendens.....	.15			.40	1.25	
yunnanensis.....				.20	.50	1.75
PYRUS communis35	.85	3.00
QUERCUS , Acorns, which are more or less perishable, can be supplied in season only. We have stated months during which orders can be accepted. We do not sell in quantities less than indicated.						
alba, an excellent grade of worm free New England acorns can be supplied in crop years, September				10 lbs.,	3.00	
bicolor, New England, September-October..				10 lbs.,	3.00	
coccinea, New England, September-November				10 lbs.,	3.00	
macrocarpa, New England, September-October				10 lbs.,	2.00	
palustris, October-May.....				10 lbs.,	2.50	.25
phellos, October-November.....				10 lbs.,	2.50	.30
rubra (borealis maxima) Common Red Oak, hand-selected, September-May.....				10 lbs.,	1.50	.20
rubra, seed from specimens with straight undivided trunks, September-November.....				10 lbs.,	2.00	.25
rubra ambigua (borealis) Northern Red Oak, hand-selected acorns, September-May.....				10 lbs.,	2.00	.25
rubra ambigua, from specimens with straight undivided trunks, September-November.....				10 lbs.,	2.50	.30
RHAMNUS cathartica25	.60	2.00
frangula.....				.25	.60	2.00
purshiana, clean.....				.30	.75	2.50
rupestris.....		.25		.75		
RHODODENDRON carolinianum25			.60	2.25	
carolinianum, select New England seed.....	.35			1.00		
carolinianum album.....	.50					
catawbiense.....	.20			.50	2.00	

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
RHODODENDRON (continued)						
<i>catawbiense</i> , from New England garden specimens.....		.25	.75	2.50		
<i>catawbiense compactum</i>20	.50			
<i>heliolepis</i>35					
<i>maximum</i>		20	60	2.00		
<i>maximum</i> , from select New England garden specimens..		.25	.75	2.50		
<i>minus</i> (punctatum).....	.35					
<i>mucronulatum</i>50	2.00				
<i>ponticum</i>35	1.00				
<i>punctatum</i> , see <i>minus</i> .						
RHODODENDRON HYBRIDS						
<i>catawbiense</i> Hybrids, New England seed.....	.20	.50	1.50			
choice Hybrids, new varieties.....	.50	1.25				
<i>Dr. Dresselhuys</i> , red.....	.50					
<i>Boule de Neige</i>50					
<i>Everestianum</i> , lilac.....	.35					
<i>Grandiflorum</i>35					
<i>Maximum x catawbiense</i> (<i>wellesleyanum</i>).....	.25	.60				
<i>Mrs. C. S. Sargent</i>50					
<i>ponticum</i> Hybrids.....	.50					
RHODOTYPOS kerroides30	.75	2.50
RHUS canadensis15	.25	.75
<i>clean</i>25	.65	2.25
<i>cismontana</i>25	.45	1.50
<i>copallina</i>15	.35	1.25
<i>glabra</i>25	.75
<i>trilobata</i>20	.45	1.50
<i>typhina</i>25	.75
RIBES aureum30	1.00			
<i>fasciculatum</i>20	.60	2.00		
ROBINIA fertilis55	1.20	4.50	
<i>hispida</i>25					
<i>pseudoacacia</i>25	.80	
<i>pseudoacacia bessoniana</i>20	.40	1.50	
ROMNEYA coulteri20	.55	1.85			
ROSA acicularis15	.45	1.50		
<i>acicularis nipponica</i>20	.50	1.75		
<i>alpina</i> (<i>pendulina</i>).....		.25				
<i>bella</i>20	.50			
<i>blanda</i>20	.45	1.50	
<i>canina</i>20	.45	1.50	
<i>coriifolia froebeli</i> (<i>laxa</i>).....			.35	1.00		
<i>damascena</i>35					
<i>dahurica</i>15	.40			
<i>ecae</i> (<i>primula</i>).....	.20	.50				
<i>gigantea</i>25					
<i>fujisanensis</i>25	.75			
<i>helenae</i>25	.75			
<i>hugonis</i> , the true Father Hugo's Rose.....			.35	.90	3.00	
<i>humilis</i>15	.40	1.35	
<i>humilis alba</i>20	.35	.90			
<i>laxa</i> (<i>Retz</i>), the true <i>laxa</i>25	.65	2.25	
<i>lucida</i> (<i>virginiana</i>), hips.....			.15	.40	1.25	
<i>clean</i>20	.55	1.40	5.00	
<i>macouni</i>25	.60	2.00	
<i>maximowicziana</i>40	1.25		
<i>maximowicziana jacki</i> , (thornless).....		.20	.50			
<i>maximowicziana pillosa</i>20	.50			

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
ROSA (continued)						
<i>microphylla</i>20	.50		
<i>multiflora</i> , clean.....				.20	.55	1.85
<i>multiflora cathayensis</i>15	.35			
<i>nitida</i>15	.45	1.50
<i>palustis</i> , hips.....				.15	.35	1.10
clean.....		.20	.55	1.40	5.00	
<i>rubiginosa</i> , clean.....				.30	.75	2.50
<i>rubrifolia</i> , clean.....				.35	.90	3.00
<i>rugosa</i> , clean.....				.30	.75	2.50
<i>rugosa alba</i> , clean.....				.35	.85	3.00
<i>setigera</i> , hips.....				.20	.45	1.50
clean.....				.35	.85	3.00
<i>spinosissima</i>25	.60	2.00
<i>spinosissima</i> , yellow flowered (<i>sulphurea</i>).....	.35	1.00				
<i>suffulta</i> (<i>pratincola</i>).....	.15	.30	.80			
<i>wichuriana</i> , clean.....			.30	.85	3.00	
<i>xanthina</i>35	1.00				
SAMBUCUS <i>canadensis</i> , clean.....			.15	.35	1.25	
<i>coerulea</i>25	.60	2.00	
SAPINDUS <i>drummondi</i>15	.30	.90	
SHEPHERDIA <i>argentea</i>15	.45	1.50	
<i>canadensis</i>45	1.25	4.00	
SMILAX <i>rotundifolia</i>15	.45	1.50	
SOPHORA <i>japonica</i>30	.70	2.50	
<i>japonica pendula</i>30	.70	2.50	
SORBUS <i>americana</i>20	.50	1.75	
<i>aucuparia</i>15	.35	1.25	
clean.....			1.50	5.00		
<i>dumosa</i> (<i>scopulina</i>).....			.20	.45	1.50	
<i>tianshanica</i> , new dwarf Mountain Ash from Turkestan, fruiting on young plants..... $\frac{1}{8}$ oz.,	.35	.25				
SPARTIUM <i>junceum</i>25	.75	2.75	
STAPHYLEA <i>bumalda</i>30	1.00		
<i>trifolia</i>20	.50	1.75	
STEWARTIA <i>pentagyna</i>40	.95	3.50	
STYRAX <i>americana</i>15	.30	1.40	
<i>obassia</i>35	.80	3.00	
SYMPHORICARPOS <i>racemosus</i>20	.45	1.50	
<i>vulgaris</i>20	.35	1.25	
SYMPLOCOS <i>paniculata</i> (<i>crataegoides</i>).....			.30	.70	2.50	
SYRINGA <i>josikaea</i>20	.55	1.35	5.00		
<i>josikaea rosea</i>20	.55	1.50			
<i>villosa</i> , clean.....		.35	.95	3.25		
<i>vulgaris</i> , seed as collected.....		.30	.80	3.00		
<i>vulgaris</i> , white.....		.35	1.25			
<i>vulgaris</i> , large flowered-horticultural varieties (French Hybrids).....		.50	1.25	4.50		
TILIA <i>americana</i> (<i>glabra</i>).....		.20	.45	1.50		
ULEX <i>europaeus</i>20	.60				
ULMUS <i>americana</i>15	.35	1.25		
<i>campestris</i>20	.45	1.50		
<i>glabra</i> (<i>montana</i>).....		.20	.35	1.50		
<i>hollandica</i>20	.45	1.50		
<i>pumila</i>30	.70	2.50		

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
UMBELLULARIA californica25	.65	2.25
VACCINIUM corymbosum35	.90	3.00
corymbosum, from large fruited, cultivated varieties, such as Pioneer, Rubel, Cabot50	1.50	5.00
pennsylvanicum.....				.35	.90	3.00
stamineum.....	.20		.35	1.00		
vacillans.....			.20	.45	1.50	
VIBURNUM acerifolium20	.60	2.00
alnifolium.....				.20	.60	2.00
americanum.....				.30	.70	2.50
clean.....				.45	1.25	4.50
cassinoides.....				.25	.60	2.00
dentatum.....				.15	.35	1.25
dilatatum.....				.20	.45	1.75
clean40	.95	3.50
lantana.....				.25	.60	2.00
lentago.....				.15	.35	1.25
clean.....				.30	.75	2.75
molle.....				.30	.70	2.50
nudum.....				.20	.40	1.50
opulus.....				.30	.70	2.50
clean.....				.55	1.40	5.00
prunifolium.....				.20	.40	1.50
clean.....				.30	.70	2.50
rhytidophyllum.....				.25	.70	2.50
sargenti.....				.30	.70	2.50
tomentosum, clean.....			.20	.60	2.00	
wrighti.....				.30	.70	2.50
VITEX agnus castus15	.40	1.50
negundo incisa.....				.25	.60	2.00
VITIS aestivalis30	.75	2.85
coignetiae.....				.45	1.50	
cordifolia.....				.30	.70	2.50
labrusca.....				.20	.60	2.00
rotundifolia.....				.25	.65	2.25
rupestris.....			.20	.50		
vulpina (odoratissima or riparia).....				.20	.35	1.75
WEIGELA (9,775 seeds per $\frac{1}{16}$ oz.), all hardy varieties, New England seed.						
amabilis..... $\frac{1}{8}$ oz. .70		.40				
candidissima..... $\frac{1}{8}$ oz., .70		.40				
Garden Varieties, Eva Rathke, Feerie, Gustave Mallet or Mixture..... $\frac{1}{8}$ oz., .70		.40				
grandiflora..... $\frac{1}{8}$ oz., .70		.40				
rosea..... $\frac{1}{8}$ oz., .70		.40				
WISTERIA frutescens15	.40	1.50
sinensis..... 100 seeds, .50; 1,000 seeds, 4.50						
YUCCA filamentosa35	1.00	
glauca (angustifolia).....				.35	1.00	
gloriosa.....		.25		.75		
Red Yucca, see Hesperoaloe, part IV.						

IV

SEEDS OF TENDER SUBTROPICAL AND TROPICAL PLANTS

(Quantities smaller than indicated cannot be supplied)

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ABERIA see Dovyalis.						
ABRONIA umbellata, Sand Verbena.....	.15		.25	.65		
ABRUS precatorius, Rosary-Pea.....				.20	.45	1.50
ACACIA armata.....				.70		
baileyana.....				.35	.85	3.00
cultriformis.....				.50	1.40	5.00
cyanophylla.....				.50		
cyclops.....				.45		
decurrens.....				.45	1.10	4.00
decurrens dealbata.....				.35	1.00	3.75
decurrens mollis.....				.55	1.70	6.00
farnesiana.....				.25	.85	3.00
latifolia.....				.40	.95	3.50
linifolia prominens.....			.25	.40	.95	3.50
longifolia floribunda.....				.35	1.00	3.75
melanoxylon.....				.40	1.25	4.50
pendula..... 100 seeds, .35; 1,000 seeds, 2.50						
podalyriaefolia.....			.30	.80	2.25	7.50
prominens, see linifolia.						
pycnantha.....				.25	.85	3.00
saligna.....				.30	.95	3.50
verticillata.....			.30	.85		
ACANTHUS mollis.....				.40	1.35	4.50
ADENOCARPUS foliosus.....	.20	.35	1.00			
AGAPANTHUS umbellatus.....		.25	.60	2.00		
ALBIZZIA julibrissin.....				.20	.45	1.50
lophantha.....				.30	.75	2.75
ALEURITES fordii.....					.25	.70
ALOE ferox:						
100 seeds, .65; 500 seeds, 2.00; 1,000 seeds, 3.25						
variegata:						
100 seeds, 1.60; 500 seeds, 6.75; 1,000 seeds, 11.00						
ALSOPHILA australis, Treefern.....	.25	.60				
ANNONA cherimola, Cherimoya.....			.35	1.00		
ANTIGONON leptopus.....			.25	.65		
ARALIA papyrifera, see Tetrapanax.						
sieboldi, see Fatsia.						
ARBUTUS menziesii.....				.20	.50	1.75
unedo.....				.50	1.75	
ARCTOSTAPHYLUS manzanita.....					.75	2.50
tomentosa.....					.75	2.50
ASPARAGUS (Myrsiphyllum) asparagoides or medeoloides,						
Smilax of Florists'.....	.25	.65	1.60	6.00		
plumosus nanus:						
100 seeds, .30; 250 seeds, .55; 1,000 seeds, 1.90						
sprengeri:						
100 seeds, .30; 250 seeds, .55; 1,000 seeds, 1.90						

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
AVOCADO, see Persea.						
BAUHINIA galpini.....	100 seeds,	1.75				
purpurea.....	100 seeds,	.75				
tomentosa, St. Thomas Tree.....	100 seeds,	1.00				
BEAUMONTIA grandiflora, Herald's Trumpet						
10 seeds,	.25;	100 seeds,	1.25			
BIGNONIA—plants of Bignonia family here included—						
australis (Tecoma australis).....	Tr. pkt.,	.25				
garrocha (Tecoma g.).....		.20	.30	.85	3.00	
stans (Stenolobium stans).....		.25	.35	1.10	4.00	
tweediana (Doxantha unguis-cati).....		.20		.35	1.25	
BORONIA megastigma.....	Tr. pkt.,	.30				
CAESALPINIA (Poinciana) gilliesi.....				.35	1.25	
spinosa.....					.75	
CALLISTEMON lanceolatus.....		.25		.60	2.00	
rigidus.....		.20		.45	1.60	
viminalis.....		.25	.35	.85	3.00	
CALLITRIS robusta, Cypress Pine.....		.20		.45	1.65	
CAMELLIA japonica.....				.35	.95	3.00
CARICA papaya, Papaya, seed from named cultivated varieties.....		.25		.45	1.65	
CARISSA grandiflora, Natal-Plum:						
100 seeds,	.35;	500 seeds,	1.25;	1,000 seeds,	2.00	
CASSIA artemisioides.....			.25	.65	1.65	6.00
nairobiensis.....			.20	.55	1.40	5.00
splendida.....				.40	1.00	3.50
CASUARINA cunninghamiana.....				.60		
equisetifolia.....				.80	2.00	7.25
stricta.....				.90		
CEANOTHUS arboreus.....				.80		
arboreus hybridus.....				.80		
cyaneus.....			.35	1.00		
divaricatus.....			.35	.80		
integerrimus.....			.35	.90		
jepsoni.....			.35	1.00		
megacarpus.....			.35	1.00		
spinosus.....			.25	.75		
thyrsiflorus.....				.40	1.25	
CERATONIA siliqua.....				.25	.60	2.10
CESTRUM aurantiacum.....	.25					
nocturnum.....	.25					
CHAMAEROPS humilis.....				.25	.60	2.00
CHILOPSIS linearis.....				.50	1.25	
CHORIZEMA illicifolium 100 seeds,	.30;	1,000 seeds,	1.50			
varium.....	100 seeds,	1.50				
CINNAMOMUM camphota.....				.25	.60	2.00
CISSUS (Vitis) capensis.....				.80	2.10	7.50
COCOS australis.....	100 seeds,	.40;	1,000 seeds,	3.25		
plumosa.....	100 seeds,	.50;	1,000 seeds,	4.00		

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CORDYLINE (<i>Dracaena</i>) <i>australis</i>40	1.10	4.00
<i>indivisa</i>35	.75	2.75
CORONILLA <i>glauca</i>35	1.25		
CYPHOMANDRA <i>betacea</i> . 100 seeds, .35; 1,000 seeds, 2.50						
CYTISUS (<i>Genista</i>) <i>canariensis</i>60	2.10	
<i>fragrans</i>				1.00		
DATURA <i>arborea</i>35	1.25		
DIOSMA <i>ericoides</i> 100 seeds, .35; 1,000 seeds, 1.75						
DORYANTHES <i>palmeri</i> 100 seeds, 1.25						
DOVYALIS (<i>Aberia</i>) <i>caffra</i>35	1.25		
DRACAENA <i>draco</i>25	.65		
ERIOBOTRYA <i>japonica</i>20	.50	1.50
ERYTHEA <i>edulis</i> 100 seeds, .40; 1,000 seeds, 3.50						
ERYTHRINA <i>caffra</i> 100 seeds, 1.75						
<i>corallodendron</i> 100 seeds, 1.25						
<i>crista galli</i> 100 seeds, 1.25						
<i>indica</i> 100 seeds, 1.25						
EUCALYPTUS <i>amygdalina</i>				1.25	4.00	14.00
<i>amygdalina angustifolia</i> (<i>linearis</i>).....	.55			2.00		
<i>bosistoana</i>				1.50		
<i>botryoides</i>75		
<i>calophylla</i> 100 seeds, 1.10						
<i>citriodora</i>85		
<i>corynocalyx</i> (<i>cladocalyx</i>).....				.95	2.50	9.00
<i>ficifolia</i> 100 seeds, .50; 1,000 seeds, 14.00						
<i>globulus</i>95	2.50	9.00
<i>globulus compacta</i>50			1.50		
<i>lehmanni</i>				1.25	4.00	14.00
<i>leucoxylon</i>				1.00	2.75	10.00
<i>leucoxylon rosea</i>50			1.50		
<i>longifolia</i>50			1.50		
<i>maculata</i>50			1.50		
<i>melliodora</i>50			1.50		
<i>muelleriana</i>50			1.50		
<i>polyanthemos</i>				1.25	4.00	14.00
<i>robusta</i> (<i>multiflora</i>).....				.55	1.50	5.50
<i>rostrata</i> (<i>camaldulensis</i>).....				.60	1.65	6.00
<i>rudis</i>85		
<i>saligna</i>75			2.75		
<i>sideroxylon rosea</i>40			1.25		
<i>stuartiana</i>45			1.35		
<i>tereticornis</i> (<i>umbellata</i>).....				.65	1.60	5.85
<i>viminalis</i>75	2.10	7.50
EUCALYPTUS , Dwarf flowering species..... Tr. Pkt. 1.00						
<i>caesia</i> , <i>erythrocorys</i> , <i>erythronema</i> , <i>grossa</i> , <i>macrocarpa</i> , <i>nutans</i> , <i>stedmanni</i> , <i>torquata</i> .						
EUGENIA <i>jambos</i> 100 seeds, 1.75						
<i>myrtifolia</i> 1,000 seeds, 3.50						
<i>paniculata</i> (<i>hookeri</i>)..... 100 seeds, 2.25						
FATSIA (<i>Aralia</i>) <i>sieboldi</i> 1,000 seeds, 1.85						
FREMONTIA <i>californica</i>75		
<i>mexicana</i>75		

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
GENISTA (see also Cytisus) monosperma.....				1.00		
GLAUCOTHEA (Erythea) armata:						
100 seeds, 1.00; 1,000 seeds, 8.50						
GREVILLEA banksi.....						
robusta.....				1.10	2.80	10.00
thelemanniana.....						
100 seeds, .45; 1,000 seeds, 3.75						
HAKEA laurina.....						
saligna.....						
100 seeds, .80						
suaveolens.....						
100 seeds, 1.00						
HARDENBERGIA monophylla:						
100 seeds, .35; 1,000 seeds, 1.75						
monophylla rosea.....						
100 seeds, .35; 1,000 seeds, 1.75						
HESPEROALOE parviflora, Red Yucca.....	.30			.75	2.50	
HESPEROYUCCA Whipplei.....				.45	1.50	
HOLMSKIOLDIA sanguinea.....				1.50		
JACARANDA mimosaeifolia:						
500 seeds, .85; 1,000 seeds, 1.50						
LAGERSTROEMIA indica.....				.35	1.25	4.00
LANTANA camara, in varieties.....				.40	1.10	4.00
camara hybrida, dwarf.....				.60	1.65	6.00
LAURUS nobilis.....						
500 seeds, 1.25; 1,000 seeds, 2.00						
LEONOTIS leonurus.....				.45	1.50	
LEPTOSPERMUM laevigatum.....				.45	1.50	
laevigatum compactum.....				.60	2.00	
scoparius grandiflorum.....				1/8 oz., .45		
LEUCADENDRON argenteum.....						
100 seeds, 1.25						
LIGUSTRUM japonicum.....				.15	.35	1.25
lucidum.....				.15	.35	1.25
nepalense.....				.15	.35	1.25
LIPPIA (Aloysia) citriodora, Lemon Verbena.....				.55	1.75	
LYONOTHAMNUS floribundus.....				.60	2.00	
MACADAMIA ternifolia.....				.35	.85	3.00
MANDEVILLA suaveolens.....				.55	1.75	
MELALEUCA armillaris.....				.45	1.50	
decussata.....				.75	2.50	
ericifolia.....				.75	2.50	
huegeli.....				.45	1.50	
hypericifolia.....				.45	1.50	
lateritia.....				.85	3.00	
leucadendron.....				.35	1.00	
nesophila.....				.45	1.50	
MELIA azaradach umbraculiformis.....					.35	1.00
METROSIDEROS tomentosa.....				.60	2.00	
MIMOSA pudica.....				.30	1.00	
MUSA ENSETA.....						
100 seeds, 1.40; 1,000 seeds, 10.00						
MYRTUS communis.....				.20	.65	
communis microphylla compacta.....				.35	1.25	

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
NANDINA domestica.....				.25	.60	2.00
NICOTIANA glauca (arborea).....			.60	2.00		
OLEA europaea.....					.60	2.00
PARKINSONIA aculeata.....					.70	2.50
PASSIFLORA caerulea.....			.35	1.00		
edulis.....			.45	1.50		
manicata (Tacsonia m.).....	100 seeds,			.60		
mollissima (Tacsonia m.).....	100 seeds,			.35		
PERSEA americana, Avocado:						
100 seeds,	2.50; 1,000 seeds,			20.00		
PHASEOLUS caracalla.....	100 seeds,			.55		
PHOENIX canariensis.....	100 seeds,	.35; 1,000 seeds,		1.75		
dactylifera.....	100 seeds,	.40; 1,000 seeds,		2.50		
reclinata.....	100 seeds,	.65; 1,000 seeds,		3.50		
roebeleni.....	100 seeds,	1.25; 1,000 seeds,		8.00		
PHORMIUM tenax.....			.25	.65		
PHOTINIA arbutifolia.....					.60	2.00
PITTOSPORUM crassifolium.....			.45	1.10	4.00	
eugenoides.....			.45	1.10	4.00	
nigricans.....			.75	2.50		
phillyraeoides.....			.65	2.25		
rhombifolium.....			.65	2.25		
tobira.....			.40	.95	3.50	
undulatum.....			.35	.80	3.00	
PLUMBAGO capensis.....	100 seeds,	.35; 1,000 seeds,		3.00		
PRUNUS illicifolia.....			.20	.55	1.85	
lyoni (integrifolia).....			.25	.60	2.00	
PSIDIUM (Guava) cattleianum, red fruit.....			.80			
cattleianum, yellow fruit.....			.80			
guajava.....			1.00			
PYRACANTHA crenulata.....			.75			
QUERCUS agrifolia.....						1.25
ilex.....						1.25
suber.....						1.00
RAPHIOLEPIS indica.....			.30	.70	2.50	
umbellata (japonica).....			.25	.60	2.25	
SCHINUS molle.....			.30	.70	2.50	
terebinthifolius.....			.45	1.10	4.00	
SEAFORTHIA elegans (Archonhopoenix (Loroma) cunning- hamiana).....	100 seeds,	.45; 1,000 seeds,		3.25		
SESBANIA (Daubentonia) grandiflora.....					1.00	
SOLLYA heterophylla.....	100 seeds,	.25; 1,000 seeds,		1.65		
STERCULIA acerifolia.....			.55	1.35	5.00	
discolor.....			.55	1.35	5.00	
diversifolia.....			.40	.95	3.50	
STRELITZIA nicolai.....	100 seeds,			2.00		
reginae.....	100 seeds,			7.50		

	pkt. $\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
SWAINSONIA greyana (grandiflora):					
100 seeds, .30; 1,000 seeds, 2.25					
TETRAPANAX (Aralia) papyrifera.....	.25		1.60		
THEVETIA neifolia 100 seeds, .90; 1,000 seeds, 7.75					
THUNBERGIA gibsoni .. 100 seeds, 1.25; 1,000 seeds, 10.00					
TRACHYCARPUS (Chamaerops) excelsa.....				.45	1.50
TRISTANIA conferta75		
VERONICA andersoni Tr. Pkt., .30					
elliptica (decussata) Tr. Pkt., .30					
imperialis Tr. Pkt., .30					
VIBURNUM tinus25	.60	2.10
WASHINGTONIA filifera40	1.40
robusta60	2.00
WIGANDIA caracasana macrophylla Tr. Pkt., .35					
YUCCA arborescens55	1.35	5.00

V

SEEDS OF HARDY HERBACEOUS PERRENNIALS

	tr. pkt.	$\frac{1}{4}$ oz.	oz.
ACHILLEA filipendula, Parker's Variety85	3.00
ALYSSUM saxatile compactum15	.30	1.00
saxatile, Silver Queen.....	.25	.65	2.25
ANCHUSA barrelieri35	.85	3.00
italica Dropmore, Gentian blue.....	.15	.20	.60
myosotidiflora..... $\frac{1}{8}$ oz., 1.25	.50	2.10	7.50
ANEMONE farreri	pkt., .25		
halleri (best of pulsatillas).....	.25	.75	2.50
pulsatilla.....	.25	.85	3.00
AQUILEGIA canadensis Hybrids25	.60	
clematiflora.....	.35		
coerulea.....	.25	.60	2.00
flabellata.....	.45		
glandulosa, Copenhagen variety..... $\frac{1}{8}$ oz., .75	.35		
helenae grandiflora.....	.35		
longissima.....	.50		
vulgaris, Colonial Strain.....	.15	.35	1.00
Red Riding Hood, fine novelty, old rose calyx over pure double white corolla $\frac{1}{8}$ oz., .85	.35	1.50	
Longspurred Hybrids:			
Copper Queen.....	.35	1.00	
Mrs. Nicholls, large flowered, deep blue..... $\frac{1}{8}$ oz., 1.25	.50		
Mrs. Scott Elliott's Hybrid.....	.35	1.00	3.50
Rose Queen.....	.25	1.00	3.50
Snow Queen.....	.25	1.00	3.50
Longspurred Mixture of All Colors.....	.25	.35	3.00
New Hybrid Crimson Star x Longissima.....	1.00		
CAMPANULA persicifolia —White, Blue or Mixed..... $\frac{1}{8}$ oz., 1.00	.35		
Telham Beauty..... $\frac{1}{16}$ oz., .65; $\frac{1}{8}$ oz., 1.00	.40		
CARNATION Grenadin, Golden Sun, Pink, Red or Mixture50	2.50	
Vienna, Early Dwarf.....	.25	.75	

	Tr. pkt.	$\frac{1}{4}$ oz.	oz.
CASSIA marilandica25	.50	
CHRYSANTHEMUM arcticum Hybrid Astrid35	1.00	
korean Hybrids35		
Shasta Daisy Alaska15	.30	1.00
Conqueror15	.30	1.00
G. Marconi50		
Mrs. C. Lowthian Bell25	.75	
Vanderbilt Hybrids15	.35	1.00
DELPHINIUM Giant Pacific Hybrids:			
Shades of Blue, Lavender, Pastel, Violet or Mixture			
pkt., .50; $\frac{1}{8}$ oz., 2.00	1.00	3.50	
Giant Pacific Hybrids, named series, all	pkt., .75; $\frac{1}{8}$ oz., 2.50	1.25	4.00
Black Knight, deep midnight violet			
Blue Bird, clear medium blue with white bee			
Cameliard, pure lavender with white bee			
Galahad, finest double, large flowered white			
King Arthur, royal violet with white bee			
Round Table, new hybrids and shades in this group			
Summer Skies, light blue with white bee			
Belladonna Improved (Cliveden Beauty)35	.75	2.85
Bellamosum Improved35	.75	2.85
Blackmore and Langdon Hybrids50	.90	3.00
cardinale	$\frac{1}{16}$ oz., .20	.35	1.25
Gold Medal Hybrids25	.50	1.75
Lamartine	$\frac{1}{8}$ oz., .75	.50	1.35 4.75
DICENTRA eximia	$\frac{1}{16}$ oz., .20	.60	2.00
formosa	$\frac{1}{16}$ oz., .25	.75	
HELIANTHEMUM mutabile20	.40	
HESPERALOE parviflora30	.75	2.50
HEUCHERA sanguinea splendens	$\frac{1}{16}$ oz., 1.75	.50	
rosamundi	$\frac{1}{16}$ oz., 1.75	.50	
IBERIS sempervirens15	.45	1.40
LAVENDULA vera	pkt., .25	.50	
LILIUM amabile	pkt., .20	.30	1.20
auratum	pkt., .50	1.00	
callosum	pkt., .30		
canadense	pkt., .25	.50	
centifolium	$\frac{1}{16}$ oz., 1.00	.55	3.00
Centifolium Hybrids (Princeps Creelman x centifolium)	pkt., .50		
concolor	pkt., .25	.45	1.50
concolor pulchellum	pkt., .25	.45	1.50
formosanum, Price's Early	pkt., .20	.35	.85 3.00
formosanum, Wilson's Late	pkt., .20	.35	.85 3.00
henryi35	1.00 3.25
humboldtii magnificum	pkt., .25	.45	1.40
longiflorum praecox, White Queen	$\frac{1}{8}$ oz., 2.25; pkt., .60	1.00	
pardalnum giganteum	pkt., .25	.45	
pumilum (tenuifolium)25	.40
regale15	.30 1.00
regale, high crown type	pkt., .20	.30	.50 1.75
sargentiae35	.85 3.00
Shelburne Hybrid (regale x sargentiae)	pkt., .30	.50	1.50
Sulphur-Gale (sulphureum x regale)	pkt., .30	.50	1.50
superbum20	.50
umbellatum	pkt., .25	.45	

	Tr. pkt.	¼ oz.	oz.
LUPINUS polyphyllus:			
Moerheimi (rose and white).....		.45	1.50
Russell Hybrids.....	.20	.35	1.20
Russell Hybrids, New England seed.....	.45	.80	
PAPAVER orientale, stiff stemmed bracteata type.....	pkt., .25		
Beauty of Livermore.....	pkt., .25	.40	
Taplow's Scarlet.....		.30	.85 3.00
PLATYCODON grandiflorum, early large flowered.....		.25	.65
Blue.....		.25	.65
Mixed (Blue and White).....		.25	.65
THERMOPSIS caroliniana.....			.15 .45
THALICTRUM dipterocarpum.....		.25	.75
WALLFLOWER, a hardy strain, plants wintering in Southern New England....		.25	

SURPLUS PLANT MATERIAL

From test plantings, growing in quart cans:
Abies fraseri, Picea hursti, Picea omorica, Picea wilsoni—5 to 6 years. .75 per plant.
Not less than three per shipment.

PEAT — HUMUS

A good grade of Peat-Humus consisting of a natural combination of Reed, Sedge and Wood Peats (acidity 5.0) can be supplied from March to November.

2 bu. bags—		
1-5.....	per bag	1.25
5-25.....	per bag	1.10
25-100.....	per bag	1.00

BOOKS

RHODODENDRON and AZALEAS By CLEMENT C. BOWERS

The best book available describing, on 526 pages, 900 species and 2000 varieties, propagation, hybridizing, planting. 28 color plates and 50 plates in black and white, picturing 150 detailed subjects **\$10.00**

CULTIVATED CONIFERS IN NORTH AMERICA

By DR. L. H. BAILEY

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, diseases, protection **\$7.50**

SEEDING and PLANTING IN THE PRACTICE OF FORESTRY

By I. W. TOUMEY and C. F. KORSTEIN

507 pages, 2nd edition. The best book on the subject **\$5.15**

STANDARDIZED PLANT NAMES

New second edition. Reference book to 90,000 Common and Scientific names **\$10.50**

MANUAL of CULTIVATED TREES and SHRUBS

By ALFRED REHDER

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages **\$10.50**

Book prices are postpaid in U.S.A. Terms net cash with order

SEND ORDERS TO

F. W. SCHUMACHER

579 Centre Street

Jamaica Plain 30, Mass.

P. O. Box 131
